



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/663,176	09/15/2003	Gregory Richard Eberl	02-302 (US01)	2830
23410	7590	05/04/2007		
Vista IP Law Group LLP 2040 MAIN STREET, 9TH FLOOR IRVINE, CA 92614			EXAMINER GIBSON, ROY DEAN	
			ART UNIT	PAPER NUMBER
			3739	
			MAIL DATE	DELIVERY MODE
			05/04/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/663,176

Applicant(s)

EBERL ET AL.

Examiner

Roy D. Gibson

Art Unit

3739

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 07 February 2007.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-15 and 17-35 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 29-32 and 35 is/are allowed.
- 6) ☒ Claim(s) 1-7, 12, 33 and 34 is/are rejected.
- 7) ☒ Claim(s) 8-11, 13, 14 and 16-28 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- ☒ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☐ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____
- ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- ☐ Notice of Informal Patent Application
- ☐ Other: _____

Formal Matters

Because of newly found prior art presented below, the allowability of several claims has been withdrawn, therefore, this Office action is non-final.

Claim Objections

Claim 29 is objected to because of the following informalities: in line 6, "configuring" should be "configured". Appropriate correction is required.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(a) the invention was known or used by others in this country, or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for a patent.

Claims 1-7, 12, 33 and 34 are rejected under 35 U.S.C. 102(a) as anticipated by or, in the alternative, under 35 U.S.C. 103(a) as obvious over Lim et al. (6,488,688).

Regarding claims 1, 6 and 7, Lim et al. disclose a medical device with an elongate shaft and an inflatable semi-compliant balloon located on the elongate shaft comprising a polymer made from the same material as claimed (Tecophilic which is equivalent to Tecoflex as stated by Applicant on page 7 of the Specification, therefore, the balloon, when hydrated with an electrolytic solution, would inherently have the same tensile strength when inflated to about one atmosphere (col. 3, line 59-col. 4, line 6, col. 5, lines 48-66 and col. 6, lines 35-50).

Regarding claim 2, the semi-compliant balloon can be expanded by 4% radially when inflated by 10.2 atm (col. 3, lines 47-51).

Regarding claim 3, Table 1 of Lim et al. in col. 8, discloses the semi-compliant balloon OD increases by about 50% at 195 psi.

Regarding claims 4 and 5, the examiner maintains that the balloon of Lim et al. would inherently be capable of hydration from 10-40% volume (col. 8, line 54).

Regarding claim 12, the wall thickness of the semi-compliant balloon is disclosed as 0.0015" or within the claimed range of 0.0005-0.005" (col. 7, lines 10-20).

Regarding claims 33 and 34, Lim et al. discloses the device is configured to be intravascularly introduced within a heart of the patient.

Allowable Subject Matter

Claims 29-32 and 35 are allowed.

Claims 8-11, 13, 14 and 16-28 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.


Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Euteneuer et al. (6,077,273) disclose a catheter with a balloon made from Tecoflex (col. 6, lines 33-41).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Roy D. Gibson whose telephone number is 571-272-4767. The examiner can normally be reached on Tu-Th, 7:30 am-4:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Linda Dvorak can be reached on 571-272-4764. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.


Roy D. Gibson
Primary Examiner
Art Unit 3739

April 30, 2007